



MASTER Glass LED bulbs

MAS LEDBulb DT5.9-60W E27 927 A60 FR G

Featuring a classic heritage design, classic filament LED lamps combine the familiar shapes of incandescent bulbs with the benefits of the long-lasting LED technology. It is an ideal product to provide customers with a cosy atmosphere. The MASTER LED bulbs can be dimmed to different lumen levels and colour temperatures. MASTER Glass Led Bulbs deliver significant energy savings, offering even 30% more compared to normal LED. They provide excellent quality of light. By offering a lifetime of 25,000 hours, the lamps reduce maintenance costs.

Product data

General Information	
Cap base	E27 [E27]
EU RoHS compliant	Yes
Nominal lifetime (nom.)	25000 h
Switching cycle	20,000X
	Sphere
Light Technical	
Colour Code	922-927 [CCT of 2,200 K-2,700 K]
Lamp Luminous Flux 25°C EL (Nom)	806 lm
Colour Designation	Warm Glow (WG)
Colour Temperature, horizontal (Nom)	2200 2700 K
Lamp Luminous Efficacy EM (Nom)	136.00 lm/W
Colour consistency	<6
Colour Rendering Index,horiz (Nom)	90
LLMF at end of nominal lifetime (nom.)	70 %

Operating and Electrical	
Input frequency	50 to 60 Hz
Power (Rated) (Nom)	5.9 W
Lamp current (nom.)	40 mA
Wattage equivalent	60 W
Starting time (nom.)	0.5 s
Warm-up time to 60% light (nom.)	0.5 s
Power factor (nom.)	0.6
Voltage (Nom)	220-240 V


Temperature	
T-Case maximum (nom.)	70 °C

Controls and Dimming	
Dimmable	Only with specific dimmers

Mechanical and Housing	
Lamp Finish	Frosted

MASTER Glass LED bulbs

Photometric data



LEDbulb MAS SLR A60 5,9W E27 927 FR-LDD

Lifetime



LEDspots LED 25K



LEDspots LMP 25K

