



MASTER Value Glass LED bulbs

MASTER VLE LEDBulbD3.4-40W E27 927 A60 FR G

Featuring a classic heritage design, these filament LED bulbs combine the familiar shapes of incandescent bulbs with the benefits of long-lasting LED technology. These MASTER Value Glass LED bulbs offer more energy savings than normal glass LED bulbs. At the same time, they also provide customers with good light experience, enhanced by excellent dimming performance (dimmable glass LED bulbs). MASTER Value Glass LED Bulbs deliver significant energy savings, using 30% less energy compared to normal LED bulbs and provide excellent quality of light. By offering a lifetime of 15,000 hours, these dimmable LED bulbs also reduce maintenance costs.

Product data

General Information		Operating and Electrical	
Cap base	E27 [E27]	Colour Rendering Index,horiz (Nom)	90
EU RoHS compliant	Yes	LLMF at end of nominal lifetime (nom.)	70 %
Nominal lifetime (nom.)	15000 h	Input frequency	50 to 60 Hz
Switching cycle	20,000X	Power (Rated) (Nom)	3.4 W
	Sphere	Lamp current (nom.)	20 mA
		Wattage equivalent	40 W
Light Technical		Starting time (nom.)	0.5 s
Colour Code	927 [CCT of 2,700 K]	Warm-up time to 60% light (nom.)	0.5 s
Lamp Luminous Flux 25°C EL (Nom)	470 lm	Power factor (nom.)	0.7
Colour Designation	Warm white (WW)	Voltage (Nom)	220-240 V
Colour Temperature, horizontal (Nom)	2700 K		
Lamp Luminous Efficacy EM (Nom)	138.00 lm/W		
Colour consistency	<6		

MASTER Value Glass LED bulbs

Temperature

T-Case maximum (nom.) 80 °C

Controls and Dimming

Dimmable Only with specific dimmers

Mechanical and Housing

Lamp Finish Frosted

Bulb shape A60 [A 60mm]

Approval and Application

Energy Efficiency Class D

Energy consumption kWh/1,000 hours 4 kWh

574384

Product Data

Full product code 871951435483800

Order product name MASTER VLE LEDBulbD3.4-40W E27 927 A60 FR G

EAN/UPC – product 8719514354838

Order code 929003070702


SAP numerator – quantity per pack 1

Numerator – packs per outer box 10

SAP material 929003070702

SAP net weight (piece) 0.030 kg


Dimensional drawing




MASTER VLE LEDBulbD3.4-40W E27 927 A60 FR G

Product	D	C
MASTER VLE LEDBulbD3.4-40W E27 927 A60 FR G	60 mm	104 mm

Photometric data




LEDbulb MAS 3,4W A60 E27 927 FR-GUL



LEDbulb MAS A60 3,4W E27 927 FR-LDD

MASTER Value Glass LED bulbs

Photometric data




LEDbulb MAS 3,4W A60 E27 927 FR-POC

Lifetime



Life Expectancy Diagram



Lumen Maintenance Diagram

