



Essential LEDtube

CorePro LEDtube 1200mm 16W865 G5 I APR

Essential LEDtube is an affordable LED tube that is suitable for replacing T8 fluorescent lamps. The product provides a natural lighting effect for use in general lighting applications, as well as instant energy savings – an environmentally friendly solution.

Product data

General Information		Warm-up time to 60% light (nom.)		0.5 s
Cap base	G5 [G5]	Power factor (nom.)	0.92	
EU RoHS compliant	Yes	Voltage (Nom)	100–240 V	
Nominal lifetime (nom.)	30000 h	Temperature		
Switching cycle	50,000X	T-ambient (max.)	45 °C	
Light Technical		T-ambient (min.)	-20 °C	
Colour Code	865 [CCT of 6,500 K]	T storage (max.)	65 °C	
Technical Beam Angle (Nom)	200 °	T storage (min.)	-40 °C	
Lamp Luminous Flux 25°C EL (Nom)	2100 lm	T-Case maximum (nom.)	70 °C	
Colour Designation	Cool Daylight	Controls and Dimming		
Colour Temperature, horizontal (Nom)	6500 K	Dimmable	No	
Lamp Luminous Efficacy EM (Nom)	131.00 lm/W	Mechanical and Housing		
Colour consistency	<6	Product length	1200 mm	
Colour Rendering Index,horiz (Nom)	80	Approval and Application		
LLMF at end of nominal lifetime (nom.)	70 %	Energy efficiency label (EEL)	A++	
Operating and Electrical		Energy-saving product	Yes	
Input frequency	50 to 60 Hz	Approval marks	CE marking RoHS compliance KEMA Keur certificate	
Power (Rated) (Nom)	16 W			
Lamp current (max.)	179 mA			
Lamp current (min.)	77 mA			
Starting time (nom.)	0.5 s			

Essential LEDtube


Energy consumption kWh/1,000 hours 16 kWh

Product Data

Full product code	871869673206900
Order product name	CorePro LEDtube 1200mm 16W865 G5 I APR
EAN/UPC – product	8718696732069
Order code	929001381108

Numerator – quantity per pack	1
SAP numerator – packs per outer box	20
Material no. (12 NC)	929001381108
SAP net weight (piece)	0.162 kg


Dimensional drawing




TLED 1200mm 100-240V 16-28W 6500K

Product	D1	D2	A1	A2	A3
CorePro LEDtube 1200mm 16W865 G5 I APR	15.8 mm	19 mm	1149 mm	1156.1 mm	1163.2 mm

Photometric data




General Uniform Lighting



ESSENTIAL LEDtube 16W G5 865 APR


ESSENTIAL LEDtube 8W G5 865 APR



ESSENTIAL LEDtube 16W G5 840 APR

Essential LEDtube

Lifetime




ESSENTIAL LEDtube 8-16W G5 830-865 APR

ESSENTIAL LEDtube 8-16W G5 830-865 APR



ESSENTIAL LEDtube 8-16W G5 830-865 APR

ESSENTIAL LEDtube 8-16W G5 830-865 APR



ESSENTIAL LEDtube 16W G5 830-865 APR

Essential LEDtube

